



®

CALL FOR PRICING

MANUFACTURERS ALLIANCE GROUP, INC.

1-800-441-2023

PARTS CATALOG

NOZZLES

Adj. Mag Mount Nozzle (P/N- S-5010-SS)



Bandsaw Nozzle (P/N- 21018)



2 Port Circular Saw Nozzle (P/N- 21024)



3 Port Circular Saw Nozzle (P/N – 21024-3)



Adjustable Press Nozzle (P/N – 21045)



Adjustable Bar Stock Nozzle (P/N – 21028-4)



Copper Nozzle (P/N- 21013)



Stainless Steel Nozzle (P/N- 21014)



Loc-Line Mag Base (P/N- S-5010)



Loc-Line on Aluminum Block (P/N- S-5017-A)



Wide Angle Flat Spray Tips (30°, 60°, 80°, 120°) (P/N- 26012)



Frogeye Nozzle Tip (P/N- 26011)



Loc-Line Nozzle Tip (P/N- 22002)



Standard Brass Nozzle Tip (P/N- 26006)



Wide Angle Nozzle Tip (P/N- 26008)



TUBING, OIL & AIR LINES

All Tubing, Oil and Air Lines are sold by the foot



1/8" Oil Line – (P/N- 17001)

1/4" Braided Air Hose – (P/N- 17004)

1/4" Stainless Steel Braided Air Hose – (P/N- 17008)

5/32" Tubing – (P/N- 17002)

1/4" Tubing – (P/N- 17003)

FREQUENCY GENERATORS

Frequency Generator with Base Plate (P/N- S-5013)



Frequency Generator Base (P/N- 20002)



Frequency Generator (P/N- 20001)



BRASS INJECTOR PUMPS

Brass Injector Kit (1 Drop) (P/N- 12001)



Brass Injector Kit (2 Drop) (P/N- 12002)



Single Pump Assembly (P/N- S-5001)



Double Pump Assembly (P/N- S-5002)



Triple Pump Assembly (P/N- S-5003)



Quad Pump Assembly (P/N- S-5004)



Pilot Valves & Solenoids

1/4" 110V/24Vdc Dual Rated Solenoid

(P/N- 13051)



1/4" 110V/24Vdc Dual Rated Solenoid Coil

(P/N- 13046)



1/4" 110V Solenoid (P/N- 13041)



1/4" 110V Solenoid Coil (P/N- 13041-1)



1/4" 220V Solenoid (P/N- 13038)



1/4" 24Vdc Solenoid (P/N- 13040)



1/4" 24Vdc Solenoid Coil (P/N- 13044)



1/4" Pilot Valve (P/N- 13030)



3/8" 110V Solenoid (P/N- 13043)



3/8" 220V Solenoid (P/N- 13039)



Reservoirs

10 oz. Reservoir (P/N- 12012)



1 Quart Reservoir (P/N- 15001)



1/2 Gallon Reservoir (P/N- 15002)



1 Gallon Reservoir (P/N- 15003)



Air Filters & Gauges

1/4" Air Filter with Gauge (P/N- S-5013)



3/8" Air Filter with Gauge (P/N- S-5014)

